

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/776,887	02/11/2004	Colin Temple	HES 2003-IP-009967U1P1	3325
28857 7590 08/23/2007 CRAIG W. RODDY HALLIBURTON ENERGY SERVICES			EXAMINER	
			FIGUEROA, JOHN J	
P.O. BOX 1431 DUNCAN, OK 73536-0440			ART UNIT	PAPER NUMBER
		•	1712	
			MAIL DATE	DELIVERY MODE
			08/23/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

r - 🗪	Application No.	Applicant(s)			
	10/776,887	TEMPLE ET AL.			
Office Action Summary	Examiner	Art Unit			
	John J. Figueroa	1712			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the o	correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period way reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIO 36(a). In no event, however, may a reply be till apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE.	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 07 Ju	<u>ine 2007</u> .				
•	This action is FINAL . 2b)⊠ This action is non-final.				
·	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.			
Disposition of Claims					
4) Claim(s) See Continuation Sheet is/are pendin 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1,3-19,21-28,30,32-36,38-42,44,56,58 7) Clairn(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration. 8-62,64-73,82-100 and 102-111.	is/are rejected.			
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	ion No ed in this National Stage			
Attachment(s) 1) ☒ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ☒ Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4/6/07 & 8/7/07	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate			

Continuation of Disposition of Claims: Claims pending in the application are 1,3-19,21-28,30,32-36,38-42,44,56,58-62,64-73,82-100 and 102-111.

Application/Control Number: 10/776,887

Art Unit: 1712

Page 2

Response to Amendment

DETAILED ACTION

- 1. The 35 U.S.C. 102 rejection of claims 30, 32, 36, 38-40, 56, 62, 64, 65, 70, 71, 72, 82, 83, 95, 100, 102, 103 and 108-110 over ViviPrint 540 Technical Data Sheet previously made of record in item 2 on page 2 of the Office Action mailed March 5, 2007 (hereinafter 'OA'), has been withdrawn in view of Applicant's amendment to the claims in the response to OA filed June 7, 2007 (hereinafter 'Response').
- 2. The 35 U.S.C. 102 rejection of claims 30, 36, 38-40, 56, 64-70, 72, 82, 83, 95, 102-108 and 110 as anticipated by Nohr (US Pat. Publ. No. 2002/0149656) has been maintained for reasons previously made of record in item 3 on page 3 of OA.
- 3. The 35 U.S.C. 102 rejection of claims 30, 32, 36,40, 56, 58, 62-72, 82, 83, 95, 96 and 100-110 over Maitra (USPN 5,874,111) previously made of record in item 4 on page 3 of OA has been withdrawn in view of Applicant's amendment to the claims in Response.
- 4. The obviousness-type double patenting rejections over U.S. Serial Nos. 11/183,122 and 11/183,113 of record in items 6 and 7 on pages 4 and 5 of OA, respectively, have been maintained.

Art Unit: 1712

Response to Arguments

The Obviousness-Type Double Patenting Rejections (items 6 and 7 of OA)

5. Applicant did not present specific arguments traversing the captioned obviousness-type *provisional* double patenting rejections except to state they should be withdrawn upon allowance of the claims. However, the present claims remain rejected over prior art and are not allowable. Thus, these rejections have been maintained.

The 35 U.S.C. 102 Rejections over Viviprint and over Maitra (items 2 and 4 of OA)

6. Applicant's arguments filed regarding the captioned 35 U.S.C. 102 rejections have been fully considered but deemed moot in view of the withdrawal of these rejections due to Applicant's amendment to the claims in Response.

The 35 U.S.C. 102 Rejection over Nohr (item 3 of OA)

7. Applicant's arguments filed regarding the 35 U.S.C. 102 rejection of claims of claims 30, 36, 38-40, 56, 64-70, 72, 82, 83, 95, 102-108 and 110 as anticipated by Nohr have been fully considered but deemed unpersuasive

Applicant's principal argument is that the claims have been amended to recite a concentration range for the nanoparticle source and that Nohr does not teach this range. However, Examiner respectfully draws Applicant attention to paragraph [0096] on page 12 of Nohr, wherein Nohr disclose ranges for the concentrations of the composition components, including 20 to 95% by wt. for water and 0.5 to 20% for co-

Art Unit: 1712

solvents and, thus the remainder of the composition to include, *inter alia*, the nanoparticles.

Accordingly, Nohr is disclosing the nanoparticles can be present in very miniscule amounts, e.g., less than 5%, if water is present at 95%, and even less if cosolvents are present in the composition.

Thus, the instant claims, as amended, remain anticipated by Nohr.

Conclusion

- 8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John J. Figueroa whose telephone number is (571) 272-8916. The examiner can normally be reached on Monday-Thurs 8:00-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski can be reached on (571) 272-1302. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/776,887

Art Unit: 1712

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JJF/RAG

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700